

FEB 27 2009

S/N 10/583519

PATENT**Amendments to the Claims**

Please amend the claims as per the following Listing of Claims, which shall replace any previous listing. No new matter has been added.

Listing of Claims

1. (Currently Amended) A dyeable acrylic shrinkable fiber comprising 50 to 99 parts by weight of a polymer (A) comprising 80 to 97 wt % of acrylonitrile, 0 to 2 wt % of a sulfonic acid group-containing monomer and 3 to 20 wt % of a ~~monomer~~ copolymerizable monomer being at least one selected from the group consisting of acrylic acid, methacrylic acid and lower alkyl esters thereof, and methyl acrylate with the ~~monomers~~; and 1 to 50 parts by weight of a polymer (B) comprising 0 to 89 wt % of acrylonitrile, 1 to 40 wt % of a sulfonic acid group-containing monomer and 10 to 99 wt % of a ~~monomer~~ copolymerizable monomer being at least one selected from the group consisting of acrylic acid, methacrylic acid and lower alkyl esters thereof, and methyl acrylate with the ~~monomers~~, wherein the polymers (A) and (B) are 100 parts by weight in total.
2. (Original) The acrylic shrinkable fiber according to claim 1, wherein the total content of the sulfonic acid group-containing monomers in the polymers (A) and (B) is 0.1 to 10 wt % based on the total monomer content in the polymers (A) and (B).
3. (Currently Amended) The ~~The~~ [[An]] acrylic shrinkable fiber ~~comprising a polymer comprising 80 to 97 wt % of acrylonitrile, and according to claim 1~~ having a relative saturation value of 0.2 or more when dyed at less than 80°C.
4. (Previously Presented) The acrylic shrinkable fiber according to claim 1, having a shrinkage percentage of 20% or more when treated with dry heat at 130°C for five minutes after dyed at less than 80°C.

S/N 10/583519

PATENT

5. (Previously Presented) The acrylic shrinkable fiber according to claim 2 having a shrinkage percentage of 20% or more when treated with dry heat at 130°C for five minutes after dyed at less than 80°C.

6. (Previously Presented) The acrylic shrinkable fiber according to claim 3 having a shrinkage percentage of 20% or more when treated with dry heat at 130°C for five minutes after dyed at less than 80°C.